



思科瑞系统  
Security System

Shenzhen Security Information System Technology Co., Ltd

Add: A Bldg, Hengtai Industrial Area, 406, Sili Rd, Guanglan, Longhua District, Shenzhen, China

Tel:0755-23721116/29828226793835/18925270403

Fax:755-33263809

Email:sales@s-sstc.com www.sz-sstc.com

# Catalogue

Road Blocker | Rising Bollard | Tyre killer |

To expand the applications and technologies of the anti-terrorism roadblocks equipment , make the world more secure

Anti-Terrorist Road Barrier, Made in SST





思科瑞系统  
Security System

Shenzhen Security Information System Technology Co., Ltd

Add: A Bldg, Hengtai Industrial Area, 406, Sili Rd, Guanglan, Longhua District, Shenzhen, China

Tel:0755-23721116/29828226793835/18925270403

Fax:755-33263809

Email:sales@s-sstc.com www.sz-sstc.com

---

## 公司简介 / Company profile

Shenzhen Security Information System Technology Co., Ltd is a large-scale private enterprise that integrated system development, production and sales of hydraulic rising bollard, hydraulic road blocker, tyre killer etc products. We are mainly engaged in development and production of anti-terrorism equipment and other anti-explosive products

Products are widely used in transportation, schools, government agencies, airports, prisons, military, customs, border control, parks, smart city and other fields.

We have three patents, a total of more than 10 product lines. With excellent cost performance in overseas market, our products are exported to Europe, US, East Asia, Russia, the Middle East Islamic war countries

In our domestic market, cooperation comes from state organs, public security, prosecution, law, military, prisons, airports, frontier inspection and detention houses and so on.

## 公司文化 / Corporate culture

Entrepreneurship: self-confidence, self-discipline, self-reliance and self-reliance.



思科瑞系统  
Security System

Shenzhen Security Information System Technology Co., Ltd

Add: A Bldg, Hengtai Industrial Area, 406, Sili Rd, Guanglan, Longhua District, Shenzhen, China

Tel:0755-23721116/29828226793835/18925270403

Fax:755-33263809

Email:sales@s-sstc.com www.sz-sstc.com

---


Customers: to provide customers with high quality and maximum value of specialized products and services, in good faith and strength to win customer understanding, respect and support.

Market: to reduce procurement costs and risks for customers, to provide effective protection of customer investment.

Development: the pursuit of the goal of sustainable development and build it on the basis of customer satisfaction.

Employees: trust the hard work and dedication of employees, recognize the achievements of employees and provide a corresponding return for employees to create a good working environment and development prospects.

## Buried-free Tire Killer





思科瑞系统  
Security System


Shenzhen Security Information System Technology Co., Ltd

Add: A Bldg, Hengtai Industrial Area, 406, Sili Rd, Guanglan, Longhua District, Shenzhen, China

Tel:0755-23721116/29828226793835/18925270403

Fax:755-33263809

Email:sales@s-sstc.com www.sz-sstc.com



## Components

- 1、 Application range:Intersection safe protection in main area
- 2、 Material: A3 Steel
- 3、 Surface treatment : Paint with reflective strip
- 4、 IP rate : IP67
- 5、 Specified color:Black and yellow
- 6、 Length: Customized
- 7、 Width : 520mm



思科瑞系统  
Security System

Shenzhen Security Information System Technology Co., Ltd

Add: A Bldg, Hengtai Industrial Area, 406, Sili Rd, Guanglan, Longhua District, Shenzhen, China

Tel:0755-23721116/29828226793835/18925270403

Fax:755-33263809

Email:sales@s-sstc.com www.sz-sstc.com

- 
- 8、 Height: 70 ~ 90mm
  - 9、 Max loading weight: 80T
  - 10、 Spike Height : 150mm
  - 11、 Spike Thickness: 10mm
  - 12、 Drive mode: Electromechanical
  - 13、 Working Environment : -40°C ~ +70°C
  - 14、 Control mode :Short range wireless remote control/drive-by-wire
  - 15、 Control distance  $\leq 100M$
  - 16、 Remote control distance: within 50M
  - 17、 Traffic light interface
  - 18、 Gang control with parking barrier
  - 19、 Material thickness : 12mm
  - 20、 The whole plate forming bending, no welding

#### Technical Parameter

- 1、 System : 220V electric drive
- 2、 Passing pressure : Max 80T container truck
- 3、 Power supply : 220 ( Control voltage 24V ) 。
- 4、 System dynamic power (w) : 180W。
- 5、 Rising time :  $\leq 1-2S$
- 6、 Lowering time :  $\leq 1-2S$
- 7、 Working Temperature : -35°C~75°C



**思科瑞系统**  
Security System

Shenzhen Security Information System Technology Co., Ltd

Add: A Bldg, Hengtai Industrial Area, 406, Sili Rd, Guanglan, Longhua District, Shenzhen, China

Tel:0755-23721116/29828226793835/18925270403

Fax:755-33263809

Email:sales@s-sstc.com www.sz-sstc.com

---

8、 Storage Environment : -10°C~65°C

9、 Material : A3 steel,with anti-rust paint

10、 Color : Optional

11、 Weight : 0.3T

12、 Casing Spec:Standard casing ( Size can be customized )

L3000\*W520\*H70, Rising Length : 150

L3500\*W520\*H70, Rising Length : 150

L4000\*W520\*H70, Rising Length : 150

L4500\*W520\*H70, Rising Length : 150

L5000\*W520\*H70, Rising Length : 150

L5500\*W520\*H70, Rising Length : 150

L6000\*W520\*H70, Rising Length : 150

## **Manual tyre killer**

### **Specification:**

Material: Cast Steel

Thickness: 3mm

Width:385mm

Body Size:1000\*385\*50mm

End cap size: 270\*270\*385\*50mm

Body weight: 22kg/pc

Color: Yellow

Surface Treatment: Paint

Spike distance: 100mm

Spike thickness: 10mm



Shenzhen Security Information System Technology Co., Ltd

Add: A Bldg, Hengtai Industrial Area, 406, Sili Rd, Guanglan, Longhua District, Shenzhen, China

Tel:0755-23721116/29828226793835/18925270403

Fax:755-33263809

思科瑞系统  
Security System

Email:sales@s-sstc.com www.sz-sstc.com

Spike height: 5cm

Total width: 400mm

